

BEST AVAILABLE COPY

Freeform Search

Database:	<div style="border: 1px solid black; padding: 2px;"> US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins </div>
Term:	<div style="border: 1px solid black; padding: 2px;"> @pd<20030421 and L174 </div>
Display:	<div style="border: 1px solid black; padding: 2px;"> 10 Documents in Display Format: Starting with Number 1 </div>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

 Search History

 DATE: Saturday, March 31, 2007 [Purge Queries](#) [Printable Copy](#) [Create Case](#)

<u>Set Name</u> side by side	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
	<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L176</u>	@pd<20030421 and L174	13	<u>L176</u>
<u>L175</u>	l164 and L174	2	<u>L175</u>
<u>L174</u>	l9 and L173	101	<u>L174</u>
<u>L173</u>	align\$4 with (\$3marshal\$4 or \$3serializ\$4 or \$3materializ\$4)	548	<u>L173</u>
<u>L172</u>	((request or message) near body) or payload) and L170	36	<u>L172</u>
<u>L171</u>	((request or message) near body) or payload) L170	56467	<u>L171</u>
<u>L170</u>	giop and (message or request) adj broker	130	<u>L170</u>
<u>L169</u>	(message or request) adj broker and L166	59	<u>L169</u>
<u>L168</u>	L152 and L166	0	<u>L168</u>
<u>L167</u>	L165 and L166	10	<u>L167</u>
<u>L166</u>	(encap\$6 or wrap\$4) near (request or message)	909	<u>L166</u>
<u>L165</u>	L137 and L164	1024	<u>L165</u>
<u>L164</u>	L160 or L161 or L162 or L163	47714	<u>L164</u>
<u>L163</u>	(715/733 715/734 715/746 715/749).ccls.	1022	<u>L163</u>
<u>L162</u>	(719/311 719/318).ccls.	982	<u>L162</u>

<u>L161</u>	(709/201 709/202 709/203 709/204 709/205 709/206 709/207 709/217 709/218 709/219).ccls.	23499	<u>L161</u>
<u>L160</u>	(707/1 707/2 707/3 707/4 707/5 707/6 707/7 707/8 707/9 707/10).ccls. <i>DB=TDBD,DWPI,JPAB,EPAB,USOC,USPT,PGPB; PLUR=YES; OP=OR</i>	25088	<u>L160</u>
<u>L159</u>	JIN-KE! <i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	2	<u>L159</u>
<u>L158</u>	client and server and L157	4	<u>L158</u>
<u>L157</u>	L153 and L155	177	<u>L157</u>
<u>L156</u>	L153 nad L155	165665	<u>L156</u>
<u>L155</u>	adjust\$4 near align\$4	19440	<u>L155</u>
<u>L154</u>	L152 and L153	33	<u>L154</u>
<u>L153</u>	((transmi\$5 or transfer\$3 or pass\$3) near (message or event))	129045	<u>L153</u>
<u>L152</u>	align\$4 near (body or payload)	13437	<u>L152</u>
<u>L151</u>	without near marshal\$4	51	<u>L151</u>
<u>L150</u>	L149	36	<u>L150</u>
<u>L149</u>	((operation or function or method) near name with wrap\$4)	36	<u>L149</u>
<u>L148</u>	(pull or push) and L147	54	<u>L148</u>
<u>L147</u>	(error or loss or loos\$3) and L146	179	<u>L147</u>
<u>L146</u>	(request or message) near header and L145	224	<u>L146</u>
<u>L145</u>	((request or message) near body) or payload) and L144	670	<u>L145</u>
<u>L144</u>	(request or message) with broker	6796	<u>L144</u>
<u>L143</u>	((request or message) near body) or payload) and L140	55	<u>L143</u>
<u>L142</u>	((request or message) near body) or payload and L140	5574	<u>L142</u>
<u>L141</u>	((request or message) near (payload or body)) and L140	0	<u>L141</u>
<u>L140</u>	misalign\$6 near (error or loos\$3 or loss)	2359	<u>L140</u>
<u>L139</u>	(loos\$3 or loss) with ((request or message) near (payload or body))	18	<u>L139</u>
<u>L138</u>	L131 and L137	8	<u>L138</u>
<u>L137</u>	consumer and supplier	15960	<u>L137</u>
<u>L136</u>	consumer and suppplier	0	<u>L136</u>
<u>L135</u>	insert\$3 near address with (request or message) near header	1	<u>L135</u>
<u>L134</u>	consumer and suppplier and L131	0	<u>L134</u>
<u>L133</u>	event adj channel and L131	1	<u>L133</u>
<u>L132</u>	(request or message) near (payload or body) and L131	4	<u>L132</u>
<u>L131</u>	(extract\$3 or insert\$3) with (operation or method or function) near name	419	<u>L131</u>
<u>L130</u>	extract\$3 with (operation or method or function) near name	279	<u>L130</u>
<u>L129</u>	(request or message) near (payload or body) with align\$6	36	<u>L129</u>
<u>L128</u>	(request or message) near (payload or body) with adjust\$6	12	<u>L128</u>
<u>L127</u>	(request or message) near (payload or body) and L126	52	<u>L127</u>
<u>L126</u>	adjust\$5 near length	104035	<u>L126</u>
<u>L125</u>	(offset or align\$5) and L124	3	<u>L125</u>
<u>L124</u>	giop near (request or message)	50	<u>L124</u>
<u>L123</u>	(request or message) near (payload or body) near off\$1set	9	<u>L123</u>

<u>L122</u>	(payload or body) near off\$1set	3520	<u>L122</u>
<u>L121</u>	push near (request or message) and L120	0	<u>L121</u>
<u>L120</u>	(payload or body) with off\$1set	49183	<u>L120</u>
<u>L119</u>	((request or message) near header) with (adjust\$4 or align\$5)	82	<u>L119</u>
<u>L118</u>	L105 and L116	19	<u>L118</u>
<u>L117</u>	L112 and L116	100	<u>L117</u>
<u>L116</u>	(body or pay\$1load) near align\$6	13512	<u>L116</u>
<u>L115</u>	L112 and L113	1281	<u>L115</u>
<u>L114</u>	L112 anf L113	191378	<u>L114</u>
<u>L113</u>	(body or pay\$1load) with align\$6	164233	<u>L113</u>
<u>L112</u>	(body or pay\$1load) and (channel near (manag\$6 or event or communication))	23629	<u>L112</u>
<u>L111</u>	(body or pay\$1load) and L110	199	<u>L111</u>
<u>L110</u>	@pd<20030421 and L109	480	<u>L110</u>
<u>L109</u>	(channel near (manag\$6 or event or communication)) with align\$4	782	<u>L109</u>
<u>L108</u>	@pd<20030421 and L107	139	<u>L108</u>
<u>L107</u>	align\$4 and L106	235	<u>L107</u>
<u>L106</u>	event near channel and L105	612	<u>L106</u>
<u>L105</u>	(transmi\$4 or deliver\$) near (message or request)	119780	<u>L105</u>
<u>L104</u>	event near channel and L102	54	<u>L104</u>
<u>L103</u>	channel and L102	11880	<u>L103</u>
<u>L102</u>	adjust\$3 with alignment	47016	<u>L102</u>
<u>L101</u>	message near request and L100	7	<u>L101</u>
<u>L100</u>	@pd<20030421 and L96	2367	<u>L100</u>
<u>L99</u>	@pd<20030421 and L95	24	<u>L99</u>
<u>L98</u>	@pd<20030421 and L97	83	<u>L98</u>
<u>L97</u>	filter\$3 and L96	171	<u>L97</u>
<u>L96</u>	((format\$4 or serializ\$5 or marshal\$4) near channel\$4).ab,ti.	3238	<u>L96</u>
<u>L95</u>	typed near channel\$4	42	<u>L95</u>
<u>L94</u>	wrap\$4 and L93	10	<u>L94</u>
<u>L93</u>	((giop or general near protocol) near (message or request))	64	<u>L93</u>
<u>L92</u>	adjust\$4 and ((giop or general near protocol) near (message or request))	19	<u>L92</u>
<u>L91</u>	pad\$4 and ((giop or general near protocol) near (message or request))	3	<u>L91</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L90</u>	'6092130'.pn.	1	<u>L90</u>
<u>L89</u>	'6092130'.pn.	1	<u>L89</u>
<u>L88</u>	'6369723'.pn.	1	<u>L88</u>
<u>L87</u>	'6369723'.pn.	1	<u>L87</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L86</u>	pad\$4 near length and ((giop or general near protocol) near (message or request))	1	<u>L86</u>
<u>L85</u>	align\$4 and ((giop or general near protocol) near (message or request))	0	<u>L85</u>

<u>L84</u>	L83 and ((giop or general near protocol) near (message or request))	0	<u>L84</u>
<u>L83</u>	(body or pay\$1load) with \$3align\$7	132899	<u>L83</u>
<u>L82</u>	L81 and ((giop or general near protocol) near (message or request))	0	<u>L82</u>
<u>L81</u>	(body or pay\$1load) near \$3align\$7	11596	<u>L81</u>
<u>L80</u>	event near channel with register\$5	122	<u>L80</u>
<u>L79</u>	channel near (event or manag\$6 or communicat\$3) and ((giop or general near protocol) near (message or request))	23	<u>L79</u>
<u>L78</u>	channel near (event or manag\$6 or communicat\$3) with ((giop or general near protocol) near (message or request))	0	<u>L78</u>
<u>L77</u>	@pd<20030421 and L76	56	<u>L77</u>
<u>L76</u>	channel near (event or manag\$6 or communicat\$3) with (\$3materializ\$4 or \$3serializ\$3 or \$3marshal\$4)	167	<u>L76</u>
<u>L75</u>	message near (body or pay\$1load) and L74	29	<u>L75</u>
<u>L74</u>	@pd<20030421 and L73	769	<u>L74</u>
<u>L73</u>	wrap\$4 with (header or ((operation or method or function) near name))	1458	<u>L73</u>
<u>L72</u>	@pd<20030421 and L71	48	<u>L72</u>
<u>L71</u>	channel near (event or manag\$6 or communicat\$3) and L70	152	<u>L71</u>
<u>L70</u>	((queue or buffer) near (need\$2 or requirement)) with (efficient\$2 or reduc\$5 or minimiz\$5)	1316	<u>L70</u>
<u>L69</u>	channel near (event or manag\$6 or communicat\$3) and L68	7	<u>L69</u>
<u>L68</u>	((without or "not") near (\$3materializ\$4 or \$3serializ\$3 or \$3marshal\$4))	380	<u>L68</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L67</u>	'5983259'.pn.	1	<u>L67</u>
<u>L66</u>	'6038604'.pn.	1	<u>L66</u>
<u>L65</u>	'6226666'.pn.	1	<u>L65</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L64</u>	'20020191616'.pn.	1	<u>L64</u>
<u>L63</u>	'20030105884'.pn.	1	<u>L63</u>
<u>L62</u>	'20050149612'.pn.	1	<u>L62</u>
<u>L61</u>	'20050149612'.pn.	1	<u>L61</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L60</u>	wrap\$4 with ((message or request) near (body or pay\$load))	64	<u>L60</u>
<u>L59</u>	l9 and L58	45	<u>L59</u>
<u>L58</u>	adjust\$4 near2 length and l46	2615	<u>L58</u>
<u>L57</u>	l46 and L56	16	<u>L57</u>
<u>L56</u>	adjust\$4 near header	700	<u>L56</u>
<u>L55</u>	l9 and L54	5	<u>L55</u>
<u>L54</u>	l46 and L53	158	<u>L54</u>
<u>L53</u>	adjust\$4 with header	6659	<u>L53</u>
<u>L52</u>	orb and l46	31	<u>L52</u>
<u>L51</u>	giop and l46	0	<u>L51</u>
<u>L50</u>	((request or message) near (length or header)) and L49	68	<u>L50</u>

<u>L49</u>	(pay\$1load or body) and L48	262	<u>L49</u>
<u>L48</u>	l9 and L46	674	<u>L48</u>
<u>L47</u>	event adj channel and L46	51	<u>L47</u>
<u>L46</u>	@pd<20030421 and misalign\$4	101182	<u>L46</u>
<u>L45</u>	@pd<20030421 and L44	97	<u>L45</u>
<u>L44</u>	(message or request) with misalign\$4	197	<u>L44</u>
<u>L43</u>	l9 and L42	11	<u>L43</u>
<u>L42</u>	(without or "not") near (deliver\$3 or transfer\$4 or transm\$6) with \$4align\$4	502	<u>L42</u>
<u>L41</u>	(without or "not") near (deliver\$3 or transfer\$4 or transm\$6) near (request or message) with \$4align\$4	0	<u>L41</u>
<u>L40</u>	adjust\$4 with ((request or message) near header)	41	<u>L40</u>
<u>L39</u>	@pd<20030421 and L38	100	<u>L39</u>
<u>L38</u>	l9 and L37	187	<u>L38</u>
<u>L37</u>	adjust\$4 near \$4align\$4	18133	<u>L37</u>
<u>L36</u>	adjust\$4 with \$4align\$4	116011	<u>L36</u>
<u>L35</u>	l9 and L31	109	<u>L35</u>
<u>L34</u>	(pay\$1load or body) and L33	184	<u>L34</u>
<u>L33</u>	@pd<20030421 and L32	595	<u>L33</u>
<u>L32</u>	l9 and (l30 or l31)	1121	<u>L32</u>
<u>L31</u>	(adjust\$4 or \$4align\$4) with ((request or message) near (length or header))	172	<u>L31</u>
<u>L30</u>	\$4align\$4 with (error or fault\$1 or fail\$3)	48586	<u>L30</u>
<u>L29</u>	l9 and L27	97	<u>L29</u>
<u>L28</u>	l9 and L27	97	<u>L28</u>
<u>L27</u>	(l1 or l4) and L25	10019	<u>L27</u>
<u>L26</u>	event adj channel and L25	21	<u>L26</u>
<u>L25</u>	proper\$3 near align\$4	110842	<u>L25</u>
<u>L24</u>	20030046395	2	<u>L24</u>
<u>L23</u>	@pd<20030421 and L22	39	<u>L23</u>
<u>L22</u>	message and L21	118	<u>L22</u>
<u>L21</u>	(filter\$3 or register\$6 or length or adjust\$3 or align\$4) and L20	187	<u>L21</u>
<u>L20</u>	giop	223	<u>L20</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L19</u>	'5931916'.pn.	1	<u>L19</u>
<u>L18</u>	'6006264'.pn.	1	<u>L18</u>
<u>L17</u>	'6374300'.pn.	1	<u>L17</u>
<u>L16</u>	'6611873'.pn.	1	<u>L16</u>
<u>L15</u>	'6732175'.pn.	1	<u>L15</u>
<u>L14</u>	'6823391'.pn.	1	<u>L14</u>
<i>DB=PGPB; PLUR=YES; OP=OR</i>			
<u>L13</u>	'20030065711'.pn.	1	<u>L13</u>
<i>DB=PGPB,USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			

<u>L12</u>	l3 and L11	24	<u>L12</u>
<u>L11</u>	l4 and L9	1560	<u>L11</u>
<u>L10</u>	l7 and L9	3	<u>L10</u>
<u>L9</u>	(pass\$3 or deliver\$3 or transfer\$4 or transm\$6 or serializ\$4 or marshal\$4 or materializ\$4) near (request or message)	194394	<u>L9</u>
<u>L8</u>	(deliver\$3 or transfer\$4 or transm\$6 or serializ\$4 or marshal\$4 or materializ\$4) near (request or message)	179487	<u>L8</u>
<u>L7</u>	@pd<20030421 and L6	163	<u>L7</u>
<u>L6</u>	(wrap\$4 or filter\$3) and l5	295	<u>L6</u>
<u>L5</u>	l3 and L4	1638	<u>L5</u>
<u>L4</u>	(align\$4 or adjust\$5) near (message or request or body or payload)	34946	<u>L4</u>
<u>L3</u>	(append\$3 or inser\$6) near (pay\$1load or body)	65493	<u>L3</u>
<u>L2</u>	event adj channel and L1	27	<u>L2</u>
<u>L1</u>	(append\$3 or inser\$6) with (pay\$1load or body)	449398	<u>L1</u>

END OF SEARCH HISTORY